09/484,879

(FILE 'HOME' ENTERED A	16:45:23	ON 10	JUT.	20021
------------------------	----------	-------	------	-------

FILE 'CAPLUS,	EMBASE,	BIOSIS,	MEDLINE,	WPIDS'	ENTERED	ΑT	16:45:37	ON	10
JUL 2002									

- L1 18786 S (PHAGE? OR BACTERIOPHAG? OR LAMBDA) (2A) (LIBRAR?)
- L2 405 S L1 (10A) (SC OR SINGLE) (3A) (AB? OR ANTIBOD?)
- L3 112 S L2 AND (TUMOR? OR TUMOUR?)
 - FILE 'USPATFULL' ENTERED AT 16:49:43 ON 10 JUL 2002
- L4 61 S L2
- L5 38 S L4 AND (TUMOR? OR TUMOUR?)
 - FILE 'WPIDS' ENTERED AT 16:54:15 ON 10 JUL 2002
- L6 2 S 9201047
- L7 0 S L6 AND (TUMOR? OR TUMOUR?)
 - FILE 'CAPLUS, EMBASE, BIOSIS, MEDLINE, WPIDS' ENTERED AT 16:55:16 ON 10 JUL 2002
- L8 30 S L1 (10A) (SC OR SINGLE) (3A) (AB? OR ANTIBOD?) (10A) (TUMOUR? OR T L9 16 DUP REM L8 (14 DUPLICATES REMOVED)

FILE 'USPATFULL' ENTERED AT 17:02:24 ON 10 JUL 2002

WEST Search History

DATE: Wednesday, July 10, 2002

Set Name side by side	Query	Hit Count	Set Name result set		
DB = USP	T; PLUR=YES; OP=OR				
L20	L19 near20 (tumor\$ or tumour\$)	28	L20		
L19	scfv	505	L19		
DB = USP	T,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=OR				
L18	117 not 15	1	L18		
L17	abtide\$	6	L17 ·		
L16	L15 and l14	16	L16		
L15	(librar\$).clm. or (librar\$).ti.	10408	L15		
L14	L13 and pan\$	193	L14		
L13	L12 and librar\$	3810	L13		
L12	L11 and (phage\$ or bacteriophage\$ or lambda)	4082	L12		
L11	L10 near2 19	5410	L11		
L10	(ab or abs or antibody or antibodies)	356229	L10		
L9	L8 or sc	98357	L9		
L8	(single)near2(chain\$)	16970	L8		
L7	(antigen\$)near2(binding)near2(peptide\$).clm.	40	L7		
L6	(abtide\$).clm.	0	L6		
L5	L4 and abtid\$	5	L5		
L4	L3and l2	194	L4		
L3	alvarez	4854	L3		
L2	cytogen	192	L2		
DB=USPT; PLUR=YES; OP=OR					
L1	cytogen	111	L1		

END OF SEARCH HISTORY

Generate Collection Print

L20: Entry 23 of 28

File: USPT

Feb 16, 1999

US-PAT-NO: 5872215

DOCUMENT-IDENTIFIER: US 5872215 A

TITLE: Specific binding members, materials and methods

DATE-ISSUED: February 16, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Osbourne; Jane Katharine	Cambridge			GBX
Allen; Deborah Julie	London			GBX
McCafferty; John Gerald	Babraham			GBX

ASSIGNEE-INFORMATION:

NAME	CITY	STATE ZIP	CODE COUNTRY	TYPE	CODE
Medical Research Council	London		GB2	03	
Cambridge Antibody Technology Ltd.	Cambridgeshire	!	GB2	03	

APPL-NO: 8/ 652816 [PALM]
DATE FILED: May 23, 1996

PARENT-CASE:

CROSS-REFERENCE TO RELATED APPLICATION This application is a continuation-in-part of U.S. patent application Ser. No. 08/244,597, still pending, filed on Jun. 1, 1994, which is the U.S. National Phase of PCT/GB92/02240.

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
GB	9125582	December 2, 1991
GB	9125579	December 4, 1991
GB	9206318	March 24, 1992
GB	9206372	September 23, 1992
GB	9525004	December 7, 1995
GB	9610824	May 23, 1996

INT-CL: [6] C12 P 21/08, C07 K 16/32, G01 N 33/574

US-CL-ISSUED: 530/387.3; 530/387.5, 530/387.7, 530/388.15, 530/388.85, 530/389.7, 530/391.3, 435/7.23

US-CL-CURRENT: 530/387.3; 435/7.23, 530/387.5, 530/387.7, 530/388.15, 530/388.85, 530/389.7, 530/391.3

FIELD-OF-SEARCH: 530/387.3, 530/387.5, 530/387.7, 530/388.15, 530/388.85, 530/389.7, 530/391.3, 435/7.23

PRIOR-ART-DISCLOSED:

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
WO 88/06630	September 1988	WOX	
WO 90/14424	November 1990	WOX	
WO 90/14430	November 1990	WOX	
WO 90/14443	November 1990	WOX	
WO 91/01990	February 1991	WOX	
WO 92/01047	January 1992	WOX	
WO 92/20791	November 1992	WOX	
WO 93/11236	June 1993	WOX	
WO 95/06067	March 1995	WOX	
WO 95/15341	June 1995	WOX	

OTHER PUBLICATIONS

Bouanani, M. et al., "Autoimmunity to Human Thyroglobulin," Arthritis and Rheumatism, 34(12):1585-1593 (Dec., 1991). James, K. and Bell, G.T., "Human monoclonal antibody production: Current status and future prospects," Journal of Immunological Methods, 100:5-40 (1987).

Kim, J.G. and Abeyounis, C.J., "Isolation and Characterization of Rat Carcinoembryonic Antigen," Int. Arch. Allergy Appl. Immunol., 92:43-49 (1990).

Kim, J.G. and Abeyounis, C.J., "Monoclonal Rat Antibodies to Rat Carcinoembryonic Antigen," Immunological Investigations, 17(1):41-48 (1988).

Portolano, S. et al., "A Human Fab Fragment Specific for Thyroid Peroxidase Generated by Cloning Thyroid Lymphocyte-Derived Immunoglobulin Genes in a Bacteriophage Lambda Library," Biochemical and Biophysical Research Communications, 179(1):372-377 (Aug. 30, 1991).

Huse et al., "Generation of a Large Combinatorial Library of the Immunoglobulin Repertoire in Phage Lambda," Science, 246:1275-1281 (Dec. 8, 1989).

Kang et al., "Linkage of Recombination and Replication Functions by Assembling Cominatorial Antibody Fab Libraries Along Phage Surfaces," Proc. Nat'l Acad. Sci., USA, 88:4363-4366 (May, 1991). Marks et al., "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling," Bio/Technology, 10:779-783 (Jul., 1992).

Winter and Milstein, "Man-made Antibodies," Nature, 349:293-299 (Jan. 24, 1991).

Epstein et al., "Production of Carcinoembryonic Antigen From a Human Colon Adenocarcinoma Cell Line II. Use of Monoclonal

Antibodies to Carcinoembryonic Antigen For Antigen Purification and Characterization, Developments in Biological Standardization, 66:429-437 (1987).

Griffiths et al., "Human anti-self antibodies with high specificity from phage display libraries," The EMBO J., 12(2):725-734 (1993). Griffiths et al., "Isolation and high affinity human antibodies directly from large synthetic repertoires," The EMBO J., 13:3245-3260 (1994).

Hu et al., "Minibody: A Novel Engineered Anti-Carcinoembryonic Antigen Antibody Fragment (Single-Chain Fv-H.sub.H 3) Which Exhibits Rapid, High-Level Targeting of Xenografts, "Cancer Research, 56(13):3055-3061 (Jul. 1, 1996).

Nap et al., "Specificity and Affinity of Monoclonal Antibodies against Carcinoembryonic Antigen," Cancer Research, 52:2329-2339 (Apr. 15, 1992).

Oikawa et al., "The Carcinoembryonic Antigen (CEA) Contains Multiple Immunoglobulin-Like Domains," Biochemical and Biophysical Research Communication, 144(2):534-542 (Apr. 29, 1987). Osbourn et al., "Generation of a panel of related human scFv antibodies with high affinities for human CEA," Immunotechnology (Amsterdam) 2(3):181-196 (1996).

Wellerson et al., "Enhanced Binding Activity Observed Between Anti-Carcinoembryonic Monoclonal Antibodies," Hybridoma, 5(3):199-213 (1986).

ART-UNIT: 164

PRIMARY-EXAMINER: Saunders; David

ASSISTANT-EXAMINER: VanderVegt; F. Pierre

ATTY-AGENT-FIRM: Marshall, O'Toole, Gerstein, Murray & Borun

ABSTRACT:

Specific binding members for human carcinoembryonic antigen (CEA) comprise a human antibody antigen binding domain. The specific binding members may have a dissociation constant less than 1.0.times.10.sup.-8 M and may be substantially non-crossreactive with human liver and/or other normal tissues. They may be specific for the A3-B3 extracellular domain of CEA. They may be specific for a carbohydrate epitope of CEA. They may be produced by recombinant expression from encoding nucleic acid and modified and manipulated in various manners in accordance with known techniques. CEA is a tumour antigen and the specific binding members have proven ability to bind and target CEA both in vitro and in vivo.

32 Claims, 42 Drawing figures